




Specification sheet

PVE 16VM

Vibro Hammer


English



Specifications :

PVE 16VM

Eccentric moment	16 kgm	Clamps:	
Max. centrifugal force	928 kN	Sheet pile clamp	DWK 130T
Max. frequency	2300 rpm	Transport weight per piece	750 kg
Max. amplitude excl. DWK 130T	13 mm	Double clamps	PPK 80T
Max. amplitude incl. DWK 130T	10.4 mm	Transport weight per piece	500 kg
Max. static line-pull	240 kN	Powerpack:	
Max. operating pressure	350 bar	Model	400 series
Max. oil flow	375 l/min	Hose set:	
Forced lubrication	yes	Length	30 m
Dynamic weight excl. DWK 130T	2460 kg	Transport weight (±)	615 kg
Dynamic weight incl. DWK 130T	3210 kg		
Total weight excl. DWK 130T & hoses	3560 kg		



Technische Daten :

PVE 16VM

Statisches Moment	16 kgm	Klemmzange:	
Max. Fliehkraft	928 kN	Universalzange	DWK 130T
Max. Drehzahl	2300 rpm	Transportgew. pro Stück	750 kg
Max. Amplitude ohne DWK 130T	13 mm	Rohrklemmzange	PPK 80T
Max. Amplitude mit DWK 130T	10.4 mm	Transportgew. pro Stück	500 kg
Max. Statische Zugkraft	240 kN		
Max. Betriebsdruck	350 bar	Aggregat:	
Max. Fördermenge	375 l/min	Modell	400 series
Zwangsschmierung	ja		
Dyn. Gewicht ohne DWK 130T	2460 kg	Schlauchsatz:	
Dyn. Gewicht mit DWK 130T	3210 kg	Länge	30 m
Gesamtgew. Ohne DWK 130T & Schläuche	3560 kg	Transportgewicht (±)	615 kg




Spécifications

PVE 16VM

Vibro Hammer


Français



Spécifications

PVE 16VM

Moment excentrique	16 kgm	Pincés:	
Max. force centrifuge	928 kN	Pince palplanche	DWK 130T
Max. fréquence	2300 rpm	Poids de transport par pièce	750 kg
Max. amplitude sans DWK 130T	13 mm	Pince tube	PPK 80T
Max. amplitude avec DWK 130T	10.4 mm	Poids de transport par pièce	500 kg
Force de traction statique	240 kN		
Pression de travail max.	350 bar	Groupe hydraulique:	
Débit d'huile max.	375 l/min	Modèle	400 series
Huile lubrifiante	oui		
Poids dynamique sans DWK 130T	2460 kg	Jeu de tuyau:	
Poids dynamique avec DWK 130T	3210 kg	Longueur	30 m
Poids total sans DWK 130T & tuyaux	3560 kg	Poids de transport (±)	615 kg

**Specificaties****PVE 16VM**

Excentrisch moment	16 kgm	Klemmen:	
Max. centrifugaalkracht	928 kN	Damwandklem	DWK 130T
Max. toerental	2300 rpm	Transportgewicht per klem	750 kg
Max. amplitude excl. DWK 130T	13 mm	Pijpenklem	PPK 80T
Max. amplitude incl. DWK 130T	10.4 mm	Transportgewicht per klem	500 kg
Max. statische trekkracht	240 kN		
Max. werkdruk	350 bar	Aggregaat:	
Max. oliedoorstroming	375 l/min	Model	400 series
Geforceerde smering	ja		
Dynamisch gewicht excl. DWK 130T	2460 kg	Slangenset:	
Dynamisch gewicht incl. DWK 130T	3210 kg	Lengte	30 m
Totaalgewicht excl. DWK 130T & slangen	3560 kg	Transportgewicht (±)	615 kg




Specificatii

PVE 16VM

Ciocan vibrator

Español



Specificatii

PVE 16VM

Moment excentric	16 kgm	Menghina:	
Forta centrifuga maxima	928 kN	Menghina pentru palplanse	DWK 130T
Frecventa maxima	2300 rpm	Greutatea transportului pe buc.	750 kg
Amplitudinea maxima exclusiva DWK 130T	13 mm	Menghina dubla	PPK 80T
Amplitudinea maxima inclusiv DWK 130T	10.4 mm	Greutatea transportului pe buc.	500 kg
Tractiune statica maxima	240 kN	Unitate de putere:	
Presiunea maxima de lucru	350 bar	Model	400 series
Debit maxim de ulei	375 l/min	Set furtun:	
Ungere fortata	da	Lungime	30 m
Greutate dinamica exclusiv DWK 130T	2460 kg	Greutatea transportului	615 kg
Greutate dinamica inclusiv DWK 130T	3210 kg		
Greutate totala cu furtun atasat DWK 130T	3560 kg		




Specifications

PVE 16VM

Vibro Hammer

USA



Specifications

PVE 16VM

Eccentric moment	0-1388.9 lbs in	Clamps:	
Max. centrifugal force	0-104.3 US tn	Sheet pile clamp	DWK 130T
Max. frequency	2300 rpm	Transport weight per piece	1653 lbs
Max. amplitude excluding DWK 130T	0.51 in	Double clamps	PPK 80T
Max. amplitude including DWK 130T	0.41 in	Transport weight per piece	1102 lbs
Max. static line-pull	24.5 US tn	Powerpack:	
Max. operating pressure	5076 psi	Model	400 series
Max. oil flow	99 gal/min	Hose set:	
Forced lubrication	yes	Length	98.42519685 ft
Dynamic weight excluding DWK 130T	5423 lbs	Transport weight (±)	1356 lbs
Dynamic weight including DWK 130T	7077 lbs		
Total weight excluding DWK 130T & hoses	7848 lbs		