




# Specification sheet

## PVE 24VM


### Vibro Hammer



#### Specifications :

#### PVE 24VM


Eccentric moment	24 kgm	<b>Clamps:</b>	
Max. centrifugal force	1400 kN	Sheet pile clamp	DWK 200T
Max. frequency	2300 rpm	Transport weight per piece	2000 kg
Max. amplitude excl. DWK 200T	14 mm	Double clamps	PPK 80T
Max. amplitude incl. DWK 200T	8.7 mm	Transport weight per piece	500 kg
Max. static line-pull	400 kN		
Max. operating pressure	350 bar	<b>Powerpack:</b>	
Max. oil flow	493 l/min	Model	500 series
Forced lubrication	yes		
Dynamic weight excl. DWK 200T	3500 kg	<b>Hose set:</b>	
Dynamic weight incl. DWK 200T	5500 kg	Length	30 m
Total weight excl. DWK 200T & hoses	6020 kg	Transport weight (±)	615 kg



### Technische Daten :

### PVE 24VM


Statisches Moment	24 kgm	<b>Klemmzange:</b>	
Max. Fliehkraft	1400 kN	Universalzange	DWK 200T
Max. Drehzahl	2300 rpm	Transportgew. pro Stück	2000 kg
Max. Amplitude ohne DWK 200T	14 mm	Rohrklemmzange	PPK 80T
Max. Amplitude mit DWK 200T	8.7 mm	Transportgew. pro Stück	500 kg
Max. Statische Zugkraft	400 kN		
Max. Betriebsdruck	350 bar	<b>Aggregat:</b>	
Max. Fördermenge	493 l/min	Modell	500 series
Zwangsschmierung	ja		
Dyn. Gewicht ohne DWK 200T	3500 kg	<b>Schlauchsatz:</b>	
Dyn. Gewicht mit DWK 200T	5500 kg	Länge	30 m
Gesamtgew. Ohne DWK 200T & Schläuche	6020 kg	Transportgewicht (±)	615 kg



### Spécifications

### PVE 24VM

Moment excentrique	24 kgm	<b>Pinces:</b>	
Max. force centrifuge	1400 kN	Pince palplanche	DWK 200T
Max. fréquence	2300 rpm	Poids de transport par pièce	2000 kg
Max. amplitude sans DWK 200T	14 mm	Pince tube	PPK 80T
Max. amplitude avec DWK 200T	8.7 mm	Poids de transport par pièce	500 kg
Force de traction statique	400 kN		
Pression de travail max.	350 bar	<b>Groupe hydraulique:</b>	
Débit d'huile max.	493 l/min	Modèle	500 series
Huile lubrifiante	oui		
Poids dynamique sans DWK 200T	3500 kg	<b>Jeu de tuyau:</b>	
Poids dynamique avec DWK 200T	5500 kg	Longueur	30 m
Poids total sans DWK 200T & tuyaux	6020 kg	Poids de transport (±)	615 kg

**Specificaties****PVE 24VM**

Excentrisch moment	24 kgm	<b>Klemmen:</b>	
Max. centrifugaalkracht	1400 kN	Damwandklem	DWK 200T
Max. toerental	2300 rpm	Transportgewicht per klem	2000 kg
Max. amplitude excl. DWK 200T	14 mm	Pijpenklem	PPK 80T
Max. amplitude incl. DWK 200T	8.7 mm	Transportgewicht per klem	500 kg
Max. statische trekkracht	400 kN		
Max. werkdruk	350 bar	<b>Aggregaat:</b>	
Max. oliedoorstroming	493 l/min	Model	500 series
Geforceerde smering	ja		
Dynamisch gewicht excl. DWK 200T	3500 kg	<b>Slangenset:</b>	
Dynamisch gewicht incl. DWK 200T	5500 kg	Lengte	30 m
Totaalgewicht excl. DWK 200T & slangen	6020 kg	Transportgewicht (±)	615 kg




## Specificatii

## PVE 24VM

Ciocan vibrator

Español



## Specificatii

## PVE 24VM

Moment excentric	24 kgm	<b>Menghina:</b>	
Forta centrifuga maxima	1400 kN	Menghina pentru palplanse	DWK 200T
Frecventa maxima	2300 rpm	Greutatea transportului pe buc.	2000 kg
Amplitudinea maxima exclusiva DWK 200T	14 mm	Menghina dubla	PPK 80T
Amplitudinea maxima inclusiv DWK 200T	8.7 mm	Greutatea transportului pe buc.	500 kg
Tractiune statica maxima	400 kN	<b>Unitate de putere:</b>	
Presiunea maxima de lucru	350 bar	Model	500 series
Debit maxim de ulei	493 l/min	<b>Set furtun:</b>	
Ungere fortata	da	Lungime	30 m
Greutate dinamica exclusiv DWK 200T	3500 kg	Greutatea transportului	615 kg
Greutate dinamica inclusiv DWK 200T	5500 kg		
Greutate totala cu furtun atasat DWK 200T	6020 kg		




# Specifications

## PVE 24VM

### Vibro Hammer

USA



### Specifications

### PVE 24VM

Eccentric moment	0-2083.3 lbs in	<b>Clamps:</b>	
Max. centrifugal force	0-157.4 US tn	Sheet pile clamp	DWK 200T
Max. frequency	2300 rpm	Transport weight per piece	4409 lbs
Max. amplitude excluding DWK 200T	0.55 in	Double clamps	PPK 80T
Max. amplitude including DWK 200T	0.34 in	Transport weight per piece	1102 lbs
Max. static line-pull	40.8 US tn		
Max. operating pressure	5076 psi	<b>Powerpack:</b>	
Max. oil flow	130 gal/min	Model	500 series
Forced lubrication	yes		
Dynamic weight excluding DWK 200T	7716 lbs	<b>Hose set:</b>	
Dynamic weight including DWK 200T	12125 lbs	Length	98 ft
Total weight excluding DWK 200T & hoses	13272 lbs	Transport weight (±)	1356 lbs