




Specification sheet

PVE 35VM

Vibro Hammer


English



Specifications :

PVE 35VM

Eccentric moment	35 kgm	Clamps:	
Max. centrifugal force	2030 kN	Sheet pile clamp	DWK 350T
Max. frequency	2300 rpm	Transport weight per piece	2600 kg
Max. amplitude excl. DWK350T	16 mm	Double clamps	PPK150T
Max. amplitude incl. DWK350T	10.1 mm	Transport weight per piece	1300 kg
Max. static line-pull	500 kN	Powerpack:	
Max. operating pressure	350 bar	Model	1000 series
Max. oil flow	1012 l/min	Hose set:	
Forced lubrication	yes	Length	45 m
Dynamic weight excl. DWK350T	4400 kg	Transport weight (±)	1540 kg
Dynamic weight incl. DWK350T	7000 kg		
Total weight excl. DWK350T & hoses	6850 kg		

**Technische Daten :****PVE 35VM**

Statisches Moment	35 kgm	Klemmzange:	
Max. Fliehkraft	2030 kN	Universalzange	DWK 350T
Max. Drehzahl	2300 rpm	Transportgew. pro Stück	2600 kg
Max. Amplitude ohne DWK350T	16 mm	Rohrklemmzange	PPK150T
Max. Amplitude mit DWK350T	10.1 mm	Transportgew. pro Stück	1300 kg
Max. Statische Zugkraft	500 kN		
Max. Betriebsdruck	350 bar	Aggregat:	
Max. Fördermenge	1012 l/min	Modell	1000 series
Zwangsschmierung	ja		
Dyn. Gewicht ohne DWK350T	4400 kg	Schlauchsatz:	
Dyn. Gewicht mit DWK350T	7000 kg	Länge	45 m
Gesamtgew. ohne DWK350T & Schläuche	6850 kg	Transportgewicht (±)	1540 kg




Spécifications

PVE 35VM

Vibro Hammer


Français



Spécifications

PVE 35VM

Moment excentrique	35 kgm	Pincés:	
Max. force centrifuge	2030 kN	Pince palplanche	DWK 350T
Max. fréquence	2300 rpm	Poids de transport par pièce	2600 kg
Max. amplitude sans DWK350T	16 mm	Pince tube	PPK150T
Max. amplitude avec DWK350T	10.1 mm	Poids de transport par pièce	1300 kg
Force de traction statique	500 kN		
Pression de travail max.	350 bar	Groupe hydraulique:	
Débit d'huile max.	1012 l/min	Modèle	1000 series
Huile lubrifiante	oui		
Poids dynamique sans DWK350T	4400 kg	Jeu de tuyau:	
Poids dynamique avec DWK350T	7000 kg	Longueur	45 m
Poids total sans DWK350T & tuyaux	6850 kg	Poids de transport (±)	1540 kg

**Specificaties****PVE 35VM**

Excentrisch moment	35 kgm	Klemmen:	
Max. centrifugaalkracht	2030 kN	Damwandklem	DWK 350T
Max. toerental	2300 rpm	Transportgewicht per klem	2600 kg
Max. amplitude excl. DWK350T	16 mm	Pijpenklem	PPK150T
Max. amplitude incl. DWK350T	10.1 mm	Transportgewicht per klem	1300 kg
Max. statische trekkracht	500 kN		
Max. werkdruk	350 bar	Aggregaat:	
Max. oliedoorstroming	1012 l/min	Model	1000 series
Geforceerde smering	ja		
Dynamisch gewicht excl. DWK350T	4400 kg	Slangenset:	
Dynamisch gewicht incl. DWK350T	7000 kg	Lengte	45 m
Totaalgewicht excl. DWK350T & slangen	6850 kg	Transportgewicht (±)	1540 kg




Specificatii

PVE 35VM

Ciocan vibrator

Español



Specificatii

PVE 35VM

Moment excentric	35 kgm	Menghina:	
Forta centrifuga maxima	2030 kN	Menghina pentru palplanse	DWK 350T
Frecventa maxima	2300 rpm	Greutatea transportului pe buc.	2600 kg
Amplitudinea maxima exclusiva DWK350T	16 mm	Menghina dubla	PPK150T
Amplitudinea maxima inclusiv DWK350T	10.1 mm	Greutatea transportului pe buc.	1300 kg
Tractiune statica maxima	500 kN		
Presiunea maxima de lucru	350 bar	Unitate de putere:	
Debit maxim de ulei	1012 l/min	Model	1000 series
Ungere fortata	da		
Greutate dinamica exclusiv DWK350T	4400 kg	Set furtun:	
Greutate dinamica inclusiv DWK350T	7000 kg	Lungime	45 m
Greutate totala cu furtun atasat DWK350T	6850 kg	Greutatea transportului	1540 kg




Specifications

PVE 35VM

Vibro Hammer

USA



Specifications

PVE 35VM

Eccentric moment	0-3038.2 lbs in	Clamps:	
Max. centrifugal force	0-228.2 US tn	Sheet pile clamp	DWK 350T
Max. frequency	2300 rpm	Transport weight per piece	5732 lbs
Max. amplitude excluding DWK350T	0.63 in	Double clamps	PPK150T
Max. amplitude including DWK350T	0.40 in	Transport weight per piece	2866 lbs
Max. static line-pull	51.0 US tn		
Max. operating pressure	5076 psi	Powerpack:	
Max. oil flow	267 gal/min	Model	1000 series
Forced lubrication	yes		
Dynamic weight excluding DWK350T	9700 lbs	Hose set:	
Dynamic weight including DWK350T	15432 lbs	Length	148 ft
Total weight excluding DWK350T & hoses	15102 lbs	Transport weight (±)	3395 lbs