




Specification sheet

PVE 125TC

Tube Clamp


English



Specifications :

PVE 125TC

Tube pile clamp		
Clamping force	1250	kN
Max. operating press.	300	bar
Max. clamp open press.	180	bar
Min. Inner diameter	526	mm
Weight	900	kg



Technische Daten :

PVE 125TC

Rohrzange		
Klemmkraft	1250	kN
Max. Betriebsdruck	300	bar
Max. Druck Zange Offen	180	bar
Min. Rohr inner durchmesser	526	mm
Gewicht	900	kg




Spécifications

PVE 125TC

Pince tube

Français



Spécifications

PVE 125TC

Pince tube		
Force de serrage	1250	kN
Pression de travail max.	300	bar
Pression pince ouvert max.	180	bar
Diamètre tube dedans min.	526	mm
Poids	900	kg




Specificaties

PVE 125TC

Damwandklem

Nederlands



Specificaties

PVE 125TC

Damwandklem		
Klemkracht	1250	kN
Max. werkdruk	300	bar
Max. klem open druk	180	bar
Min. buis binnen diameter	526	mm
Gewicht	900	kg




Specificatii

PVE 125TC

Menghina pentru tuburi

Español



Specificatii

PVE 125TC

Menghina pentru tuburi

Putere de strangere	1250	kN
Presiunea maxima de lucru	300	bar
Presiunea maxima cu menghina deschisa	180	bar
Diametrul interior minim	526	mm
Greutate	900	kg




Specifications

PVE 125TC

Tube pile clamp

USA

INCHES



Specifications

PVE 125TC

Tube pile clamp		
Clamping force	141	ton
Max. operating press.	4,351	psi
Max. clamp open press.	2,611	psi
Min. Inner diameter	21	inch
Weight	1,984	lbs