




Specification sheet

PVE 150TC

Tube Clamp


English



Specifications :

PVE 150TC

Tube pile clamp		
Clamping force	1500	kN
Max. operating press.	300	bar
Max. clamp open press.	180	bar
Min. Inner diameter	638	mm
Weight	1300	kg



Technische Daten :

PVE 150TC

Rohrzange		
Klemmkraft	1500	kN
Max. Betriebsdruck	300	bar
Max. Druck Zange Offen	180	bar
Min. Rohr inner durchmesser	638	mm
Gewicht	1300	kg




Spécifications

PVE 150TC

Pince tube

Français



Spécifications

PVE 150TC

Pince tube		
Force de serrage	1500	kN
Pression de travail max.	300	bar
Pression pince ouvert max.	180	bar
Diamètre tube dedans min.	638	mm
Poids	1300	kg




Specificaties

PVE 150TC

Damwandklem

Nederlands



Specificaties


PVE 150TC

Damwandklem		
Klemkracht	1500	kN
Max. werkdruk	300	bar
Max. klem open druk	180	bar
Min. buis binnen diameter	638	mm
Gewicht	1300	kg

Specificatii PVE 150TC

Menghina pentru tuburi

Español



Specificatii

PVE 150TC

Menghina pentru tuburi		
Putere de strangere	1500	kN
Presiunea maxima de lucru	300	bar
Presiunea maxima cu menghina deschisa	180	bar
Diametrul interior minim	638	mm
Greutate	1300	kg




PVE 150TC

Tube pile clamp

USA

INCHES



PVE 150TC

Tube pile clamp		
Clamping force	169	ton
Max. operating press.	4,351	psi
Max. clamp open press.	2,611	psi
Min. Inner diameter	25	inch
Weight	2,866	lbs