









Specification sheet

PVE 175TC

Tube Clamp







English



Specifications :

PVE 175TC

Tube pile clamp		
Clamping force	1750	kN
Max. operating press.	300	bar
Max. clamp open press.	180	bar
Min. Inner diameter	638	mm
Weight	1400	kg



Technische Daten :

PVE 175TC

Rohrzange		
Klemmkraft	1750	kN
Max. Betriebsdruck	300	bar
Max. Druck Zange Offen	180	bar
Min. Rohr inner durchmesser	638	mm
Gewicht	1400	kg









Spécifications

PVE 175TC

Pince tube

Français



Spécifications

PVE 175TC

Pince tube		
Force de serrage	1750	kN
Pression de travail max.	300	bar
Pression pince ouvert max.	180	bar
Diamètre tube dedans min.	638	mm
Poids	1400	kg









Specificaties

PVE 175TC

Damwandklem

Nederlands



Specificaties

PVE 175TC

Damwandklem		
Klemkracht	1750	kN
Max. werkdruk	300	bar
Max. klem open druk	180	bar
Min. buis binnen diameter	638	mm
Gewicht	1400	kg









Specificatii

PVE 175TC

Menghina pentru tuburi

Español



Specificatii

PVE 175TC

Menghina pentru tuburi		
Putere de strangere	1750	kN
Presiunea maxima de lucru	300	bar
Presiunea maxima cu menghina deschisa	180	bar
Diametrul interior minim	638	mm
Greutate	1400	kg









Specifications

PVE 175TC

Tube pile clamp

USA

INCHES



Specifications

PVE 175TC

Tube pile clamp		
Clamping force	197	ton
Max. operating press.	4,351	psi
Max. clamp open press.	2,611	psi
Min. Inner diameter	25	inch
Weight	3,086	lbs