











Specifications :

ICE 130TU







Sheet pile clamp		
Clamping force	1300	kN
Max. operating press.	320	bar
Max. clamp open press.	180	bar
Weight	610	kg



Technische Daten :

ICE 130TU







Spundwandzange		
Klemmkraft	1300	kN
Max. Betriebsdruck	320	bar
Max. Druck Zange Offen	180	bar
Gewicht	610	kg



Spécifications

ICE 130TU

Pince palplanches		
Force de serrage	1300	kN
Pression de travail max.	320	bar
Pression pince ouvert max.	180	bar
Poids	610	kg



Specificaties

ICE 130TU


Damwandklem		
Klemkracht	1300	kN
Max. werkdruk	320	bar
Max. klem open druk	180	bar
Gewicht	610	kg

Specificatii

ICE 130TU

Menghina pentru palpanse







Español



Specificatii

ICE 130TU

Menghina pentru palpanse		
Forta de strangere	1300	kN
Presiune maxima de lucru	320	bar
Presiunea maxima de prindere a menghinei	180	bar
Greutate	610	kg



Specifications

ICE 130TU

Sheet pile clamp		
Clamping force	146	ton
Max. operating press.	4,641	psi
Max. clamp open press.	2,611	psi
Weight	1,345	lbs